


CHAPTER (8)
**CIRCLES
AND ARCS**

8.4 If $m\widehat{AB} = 4m\widehat{BC}$ and $m\widehat{BC} = m\widehat{AD}$, Then find $m\widehat{AD}$




- A** 30°
- B** 60°
- C** 45°
- D** 25°

The semicircle \widehat{DAC} contains the arcs \widehat{DA} , \widehat{AB} and \widehat{BC}

$$\begin{aligned}
 m\widehat{AD} + m\widehat{AB} + m\widehat{BC} &= 180^\circ \\
 m\widehat{AD} + 4m\widehat{BC} + m\widehat{BC} &= 180^\circ \\
 m\widehat{AD} + 5m\widehat{BC} &= 180^\circ \\
 6m\widehat{AD} &= 180^\circ & m\widehat{AD} &= m\widehat{BC} \\
 m\widehat{AD} &= 30^\circ \Rightarrow \mathbf{A}
 \end{aligned}$$

8.6 Find the length of CB



- A** 3
- B** 6
- C** 4
- D** 8


the radius is $1 + 4 = 5 \rightarrow AB = 5$

Using Pythagorean triple (3, 4, 5)
the third EB side is 3

Since the perpendicular radius bisects the chord then $CE = EB$

$$\begin{aligned}
 CB &= CE + EB \\
 &= 3 + 3 = 6 \Rightarrow \mathbf{B}
 \end{aligned}$$

8.5 Find x if $m\widehat{AB} = 80^\circ$




- A** 40
- B** 80
- C** 140
- D** 150

Congruent chords \leftrightarrow Congruent arcs

$$\begin{aligned}
 m\widehat{AB} + m\widehat{BC} + m\widehat{CA} &= 360^\circ \\
 80 + x + x &= 360^\circ \\
 2x + 80 &= 360^\circ \\
 &= \\
 2x &= 280^\circ \\
 x &= 140^\circ \Rightarrow \mathbf{C}
 \end{aligned}$$

Theorem: In a circle, if a diameter is perpendicular to a chord, then it bisects the chord and vice versa




If \overline{AB} is a diameter and $\overline{EF} \cong \overline{FG}$, $\leftrightarrow \overline{AB} \perp \overline{EG}$


Inscribed Angle

Inscribed angle is an angle whose vertex is on the circle and whose sides are chords of the circle


There are three cases to consider



The center is on the side of the angle




The center is inside the angle




The center is outside the angle


Inscribed Angle Theorem



An angle inscribed in a semicircle is a right angle



Two inscribed angles that intercept the same are congruent




The opposite angles of a quadrilateral inscribed in a circle are supplementary.

The measure of an inscribed angle is half

$$m\angle V = \frac{1}{2} m\widehat{UV}$$

8.7 Find the measure of the arc \widehat{CB}




- A** 100° **B** 150°
- C** 180° **D** 200°

Since \widehat{CAB} is an inscribed angle $m\angle A = \frac{1}{2}m\widehat{CB}$

$$100^\circ = \frac{1}{2}m\widehat{CB}$$

$$200^\circ = m\widehat{CB} \Rightarrow \mathbf{D}$$

8.10 What is the value of x



- A** 3 **B** 4
- C** 20 **D** 18


The two angles intercept the same arc; therefore, the angles are congruent.

$$4x + 8 = 5x + 5$$

$$8 - 5 = 5x - 4x$$

$$x = 3 \Rightarrow \mathbf{A}$$

8.8 What is the value of x ?



- A** 40 **B** 30
- C** 80 **D** 50


$$m\angle A = \frac{1}{2}m\widehat{CB}$$

$$x + 10 = \frac{1}{2} \cdot 80$$

$$x + 10 = 40$$

$$x = 30 \Rightarrow \mathbf{B}$$

8.9 Find the measure of angle C




- A** 120° **B** 80°
- C** 90° **D** 60°

The angle inscribed in a semicircle is a right angle $m\angle C = 90^\circ$

$\Rightarrow \mathbf{C}$

8.11 Find the measure of angle D




- A** 85° **B** 95°
- C** 100° **D** 105°

$$m\angle 95 + m\angle D = 180^\circ$$

$$m\angle D = 85^\circ \Rightarrow \mathbf{A}$$

8.12 Find $m\angle C$



- A** 70° **B** 80°
- C** 140° **D** 110°

$$m\widehat{BCD} = m\widehat{BC} + m\widehat{CD}$$

$$= 40 + 100$$

$$= 140^\circ$$

$$m\angle A = \frac{1}{2}m\widehat{BCD}$$


$$= \frac{1}{2} \cdot 140 = 70^\circ$$

$$m\angle A + m\angle C = 180^\circ$$


$$70 + m\angle C = 180^\circ$$

$$m\angle C = 110^\circ \Rightarrow \mathbf{D}$$

Tangent Lines




- A tangent to a circle is a line in the plane of the circle that intersects the circle in exactly one point.
- The point where a circle and a tangent intersect is the point of tangency.
- If a line is tangent to a circle, then the line is perpendicular to the radius at the point of tangency.
- If two tangent segments to a circle share a common endpoint outside the circle, then the two segments are congruent.



- The measure of an angle formed by a tangent and a chord is half the measure of the intercepted arc

$$m\angle B = \frac{1}{2} \widehat{BDC}$$

8.13 If AB is a tangent to the circle M then find the radius of the circle




- A** 10 **B** 100
- C** 5 **D** 20

The tangent is perpendicular to the diameter $\overline{CB} \perp \overline{AB}$
 $\triangle ABC$ is a right triangle and by the Pythagorean triple $2(5,12,13) \rightarrow (10,24,26) \rightarrow CB = 10$

\overline{CB} is the diameter of the circle: $r = \frac{d}{2} = 5 \Rightarrow$ **C**

8.14 What is the value of x if \overline{AB} and \overline{BC} are two tangents to the circle M



- A** 10 **B** 5
- C** 4 **D** 2

The two tangents are congruent


$$2x + 4 = 4x - 6$$

$$10 = 2x$$

$$x = 5$$

\Rightarrow **B**

8.15 Find the $m\widehat{BCD}$ if $m\angle ABD = 120^\circ$ and \overline{AB} is a tangent to circle



- A** 240° **B** 120°
- C** 30° **D** 60°


$$m\angle B = \frac{1}{2} m\widehat{BCD}$$

$$m\widehat{BCD} = 2m\angle B$$

$$= 2 \cdot 120 = 240^\circ \Rightarrow$$
 A

Angle Measures and Segment Lengths


1- The measure of an angle formed by two lines that intersect inside a circle is half the sum of the measures of the intercepted arcs.




$$m\angle I = \frac{1}{2}(x + y)$$

2- The measure of an angle formed by two lines that intersect outside a circle is half the difference of the measures of the intercepted arcs


$$m\angle 1 = \frac{1}{2}(x - y)$$



3 - For a given point and circle, the product of the lengths of two segments from the point to the circle is constant along any line through the point and circle




8.16 Find $m\angle 1$



- A** 180°
- B** 90°
- C** 120°
- D** 240°

$$\begin{aligned} m\angle 1 &= \frac{1}{2}(m\widehat{CB} + m\widehat{AD}) \\ &= \frac{1}{2}(120 + 60) \\ &= \frac{1}{2}(180) = 90^\circ \Rightarrow \mathbf{B} \end{aligned}$$


8.17 Find $m\angle A$



- A** 30°
- B** 80°
- C** 10°
- D** 40°

$$\begin{aligned} m\angle A &= \frac{1}{2}(m\widehat{EB} - m\widehat{CF}) \\ &= \frac{1}{2}(100 - 20) \\ &= \frac{1}{2}(80) = 40^\circ \Rightarrow \mathbf{D} \end{aligned}$$


8.18 Find the measure of angle A



- A** 160°
- B** 80°
- C** 120°
- D** 50°


$$\begin{aligned} m\widehat{BDC} &= 360 - m\widehat{BC} \\ &= 360 - 100 = 260 \\ m\angle A &= \frac{1}{2}(m\widehat{BDC} - m\widehat{BC}) \\ &= \frac{1}{2}(260 - 100) \\ &= \frac{1}{2}(160) = 80^\circ \Rightarrow \mathbf{B} \end{aligned}$$

8.19 Find x



- A** 3
- B** 36
- C** 18
- D** 6

$$\begin{aligned} a \cdot b &= c \cdot d \\ 12x &= 4 \cdot 9 \\ 12x &= 36 \\ x &= 3 \Rightarrow \mathbf{A} \end{aligned}$$

8.20 Find x 

- A** $4\sqrt{10}$ **B** $\sqrt{10}$
C 160 **D** 40


$$t^2 = (y + z)y$$

$$x^2 = (10+6)10$$

$$x^2 = 16 \times 10$$

$$x = \sqrt{16 \times 10}$$

$$x = 4\sqrt{10} \Rightarrow \mathbf{A}$$

8.21 Find y 

- A** 35 **B** 5
C 49 **D** 30

$$(w+x)w = (y+z)y$$

$$(6+8)6 = (y+7)7$$

$$84 = 49 + 7y$$

$$35 = 7y$$

$$y = 5 \Rightarrow \mathbf{B}$$

Equation of a Circle

- An equation of a circle with center (h, k) and radius r is $(x-h)^2 + (y-k)^2 = r^2$
- If the center is $(0, 0)$ then the equation is $x^2 + y^2 = r^2$

8.22 Find the center of the circle $(x+7)^2 + (y-5)^2 = 16$

- A** $(-7, 5)$ **B** $(7, -5)$
C $(5, -7)$ **D** $(-5, 7)$

$$(x-h)^2 + (y-k)^2 = r^2$$

$$(x-(-7))^2 + (y-5)^2 = 16$$

$$\rightarrow h = -7$$

$$\rightarrow k = 5$$

$$\text{Center } (-7, 5) \Rightarrow \mathbf{A}$$

8.23 Find the diameter of the circle

$$(x-4)^2 + (y-1)^2 = 25$$

- A** 10 **B** 25
C 8 **D** 2

$$(x-h)^2 + (y-k)^2 = r^2$$

$$(x-4)^2 + (y-1)^2 = 25$$

$$\rightarrow r^2 = 25$$

$$r = 5$$

$$d = 2r$$

$$= 2 \cdot 5$$

$$= 10 \Rightarrow \mathbf{A}$$